

F I G . 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



EXAMPLE 1: REQ=GET_PROP&REQ_TYPE=DOCUMENT&DOC_ID=286

EXAMPLE 2: REQ=BROWSE&MY_CONT_ID=22

EXAMPLE 3: REQ=GET_REL&TYPE=DESTINATION&DOC_ID=100

F I G. 6



(a) DOCUMENT		NAME	WRITER	WRITTEN DAY AND TIME		DOCUMENT SIZE
DOCUMENT ID						
GR-A4	19	RUBY.doc	HIROBUMI JINNAI	2' 40' 08''	p.m. DECEMBER 21, 1999	300024
	22	asahi.htm	YOSHIYUKI ITO	8' 28' 33''	p.m. JANUARY 14, 2000	637
	24	EUC.htm	HIROBUMI JINNAI	8' 27' 49''	p.m. JANUARY 14, 2000	580
GR-A3	100	exe1500k.xls	HIROBUMI JINNAI	6' 51' 20''	a.m. JANUARY 16, 2000	2347
	286	DOCUMENT A	YOSHIYUKI ITO	2' 51' 00''	p.m. JANUARY 17, 2000	63
	287	DOCUMENT B	YOSHIYUKI ITO	2' 54' 13''	p.m. JANUARY 17, 2000	63

(b) CONTAINER		NAME
CONTAINER ID		
22		MY CONTAINER
25		CONTAINER A
30		CONTAINER B

(c) REFERENCE 1 (INDICATING CORRELATION BETWEEN A CONTAINER AND A DOCUMENT)		
CONTAINER ID		DOCUMENTATION ID
22		286
22		287

(d) REFERENCE 2 (INDICATING CORRELATION BETWEEN CONTAINERS)		
PARENT CONTAINER ID		CHILD CONTAINER ID
22		25
22		30

(e) RELATIONSHIP (INDICATING CORRELATION BETWEEN DOCUMENTS)				
PARENT DOCUMENT ID	CHILD DOCUMENT ID	COMMENT	STRENGTH	INCLUSION
100	19	COMMENTS PROVIDED	0	0
100	22	COMMENTS PROVIDED	0	0
100	24	COMMENTS PROVIDED	0	0

(f) PROPERTYDEF						
OBJECT ID	REPRESENTATIVE NAME	TYPE	READ FLAG	NECESSITY	MAXIMUM VALUE	MINIMUM VALUE
DOCUMENT	1 DOCUMENT ID	0	1	1		
DOCUMENT	2 WRITER	1	1	1	32	
DOCUMENT	3 WRITTEN DAY AND TIME	2	1	1		
DOCUMENT	5 NAME	1	0	1	255	
DOCUMENT	6 ONLINE VERSION SIZE	1	1	1		
CONTAINER	1 NAME	0	0	1	255	
CONTAINER	6 CONTAINER ID	1	1	1		
RELATIONSHIP	1 EXPLANATION	1	1	0		
RELATIONSHIP	2 STRENGTH	0	1	1	255	
RELATIONSHIP	3 (NOT SUPPORTED)	0	1	1		

FIG. 7



FIG. 8A

REQUEST
REQ=GET_PROP
REQ_TYPE=DOCUMENT
DOC_ID=286

ACTUALLY GENERATED XML IS AS FOLLOWS.

PAY ATTENTION TO *

CHARACTER STRINGS PUT BETWEEN ***** ARE EXPLANATION.

HERE, IT IS SET THAT ALL DOCUMENT PROPERTIES ARE REQUIRED.

ALTHOUGH THERE IS refDocument TAG BELOW CONTAINER IN THE PATENT, THE EQUIVALENT EXISTS BELOW SUCCESS IN THIS REQUEST.

```
<?xml version="1.0" standalone="no"?>
<meridio version="1.1">
  <activeContainer key="" browserKey="" containerType="">
    <links>
      <link href="REQ=BROWSE" linkType="browse"/>
      <link href="REQ=GET_PROP&REQ_TYPE=CONT&CCNT_ID_0=" linkType="property"/>
      <link href="REQ=DELETE&REQ_TYPE=CONT&CONT_ID_0=" linkType="delete"/>
    </links>
  </activeContainer>
  <results result="success">
    <success>
      <refDocuments>
        </refDocument key="286"/>
      </refDocuments>
    </success>
  </results>
</links>
```

AT1

FIG. 8B




FIG. 8C

```

AT1 [ </documents>
      <propertyDefinition>
BT1 [ <fixedPropertyDefinition>
      <propertyDef object="document">
        <propertyDef key="DOCUMENT_1" readOnly="true" required="true" object="document" propertyId="1" selected="browse|sch
        <displayName>DOCUMENT ID</displayName>
        </propertyDef>
      </propertyDef>
      <propertyDef key="DOCUMENT_2" readOnly="true" required="true" object="document" propertyId="2" selected="browse" type="ty
        <displayName>WRITER</displayName>
        <limit max="32"/>
      </propertyDef>
      <propertyDef key="DOCUMENT_3" readOnly="true" required="true" object="document" propertyId="3" selected="sch" type="
        <displayName>WRITTEN DAY AND TIME</displayName>
        </propertyDef>
      <propertyDef key="DOCUMENT_5" readOnly="false" required="true" object="document" propertyId="5" selected="sch" type="
        <displayName>DESCRIPTION</displayName>
        <limit max="255"/>
      </propertyDef>
    </propertyDef>
  </fixedPropertyDefinition>
  </propertyDefinition>
  </meridia>

```

GP-80 + CT2



(a) DOCUMENT

DOCUMENT ID	NAME	WRITER	WRITTEN DAY AND TIME	DOCUMENT SIZE
GR-A4	19 RUBY.doc	HIROBUMI JINNAI	2' 40' 08' p.m. DECEMBER 21, 1999	300024
	22 asahi.htm	YOSHIYUKI ITO	8' 26' 33' p.m. JANUARY 14, 2000	637
	24 EUC.htm	HIROBUMI JINNAI	8' 27' 49' p.m. JANUARY 14, 2000	580
GR-A3	100 exe1500k.xls	HIROBUMI JINNAI	6' 51' 20' a.m. JANUARY 16, 2000	2347
	286 DOCUMENT A	YOSHIYUKI ITO	2' 51' 00' p.m. JANUARY 17, 2000	63
	287 DOCUMENT B	YOSHIYUKI ITO	2' 54' 13' p.m. JANUARY 17, 2000	63

GP-A0

(b) CONTAINER

CONTAINER ID	NAME
22	MY CONTAINER
25	CONTAINER A
30	CONTAINER B

(c) REFERENCE 1 (INDICATING CORRELATION BETWEEN A CONTAINER AND A DOCUMENT)

CONTAINER ID	DOCUMENTATION ID
22	286
22	287

(d) REFERENCE 2 (INDICATING CORRELATION BETWEEN CONTAINERS)

PARENT CONTAINER ID	CHILD CONTAINER ID
22	25
22	30

(e) RELATIONSHIP (INDICATING CORRELATION BETWEEN DOCUMENTS)

PARENT DOCUMENT ID	CHILD DOCUMENT ID	COMMENT	STRENGTH	INCLUSION
100	19	COMMENTS PROVIDED	0	0
100	22	COMMENTS PROVIDED	0	0
100	24	COMMENTS PROVIDED	0	0

(f) PROPERTYDEF

OBJECT ID	NAME	TYPE	READ FLAG	NECESSITY	MAXIMUM VALUE	MINIMUM VALUE
DOCUMENT	1 DOCUMENT ID	0	1	1		
DOCUMENT	2 WRITER	1	1	1	32	
DOCUMENT	3 WRITTEN DAY AND TIME	2	1	1		
DOCUMENT	5 NAME	1	0	1	255	
DOCUMENT	6 ONLINE VERSION SIZE	1	1	1		
CONTAINER	1 NAME	0	0	1	255	
CONTAINER	6 CONTAINER ID	1	1	1		
RELATIONSHIP	1 EXPLANATION	1	1	0		
RELATIONSHIP	2 STRENGTH	0	1	1	255	
RELATIONSHIP	3 (NOT SUPPORTED)	0	1	1		

GP-B0

FIG. 9



FIG. 10A

REQUEST
REQ=BROWSE
MY_CONT_ID=22

ACTUALLY GENERATED XML IS AS FOLLOWS.
CHARACTER STRINGS PUT BETWEEN ***** ARE EXPLANATION.
HERE, IT IS SET THAT DOCUMENT PROPERTIES DOCUMENT_1, DOCUMENT_2, DOCUMENT_6, CONTAINER PROPERTIES
CONTAINER_1 AND CONTAINER_6 ARE REQUIRED.

```
</xml version="1.0" standalone="no"?>
<meridio version="1.1">
  <activeContainer key="22" browseKey="22" containerType="My">
    <links>
      <link href="REQ=BROWSE&MY_CONT_ID=22" linkType="browse"/>
      <link href="REQ=GET_PROP&REQ_TYPE=CONT&CONT_ID_0=22" linkType="property"/>
      <link href="REQ=DELETE&REQ_TYPE=CONT&CONT_ID_0=22" linkType="delete"/>
    </links>
    </activeContainer>
    <results result="success" expire="true">
      <success>
        <refContainers>
          </refContainer key="22"/>
        </refContainers>
      </success>
    </results>
  </links>
  <link href="REQ=EXEC_SCH" linkType="search"/>
  <link href="REQ=BROWSE" linkType="browse"/>
  <link href="REQ=GET_CONFIG&REQ_TYPE=BROWSE" linkType="customiseBrowse"/>
  <link href="REQ=GET_CONFIG&REQ_TYPE=SCH" linkType="customiseSearch"/>
  <link href="REQ=GET_CONFIG&REQ_TYPE=SCH_RESULT" linkType="customiseSearchResult"/>
  <link href="REQ=GET_SSCH" linkType="storedSearch"/>
  <link href="REQ=GET_PROP&REQ_TYPE=USER" linkType="property"/>
  <link href="REQ=GET_PROP&REQ_TYPE=SYSTEM" linkType="system"/>
  <link href="REQ=GET_USERGROUP" linkType="userGroupList"/>
  <link href="REQ=REFRESH=trus" linkType="refresh"/>
  <link href="REQ=LOGOUT" linkType="logout"/>

```

AT1

AT2




FIG. 10B

```
AT1 </links>
    <propertyDefinition>
      <fixedPropertyDefinition>
        <propertyDefns object="document">
          <propertyDef key="DOCUMENT_1" readOnly="true" required="true" object="document" propertyId="1" selected=browse|s
            <displayName>DOCUMENT ID</displayName>
          </propertyDef>
          <propertyDef key="DOCUMENT_2" readOnly="true" required="true" object="document" propertyId="2" selected="browse"
            <displayName>WRITER</displayName>
          </propertyDef>
          <propertyDef key="DOCUMENT_6" readOnly="true" required="true" object="document" propertyId="5" selected="browse"
            <displayName>ONLINE VERSION SIZE</displayName>
          </propertyDef>
        </propertyDefns>
      </fixedPropertyDefinition>
    </propertyDefinition>
  </propertyDefns>
  <propertyDefns object="container">
    <propertyDef key="CONTAINER_1" readOnly="false" required="true" object="container" propertyId="1" selected="" type
      <displayName>NAME</displayName>
    </propertyDef>
    <propertyDef key="CONTAINER_6" readOnly="true" required="true" object="container" propertyId="5" selected="" type
      <displayName>CONTAINER ID</displayName>
    </propertyDef>
  </propertyDefns>
  <fixedPropertyDefinition>
    <propertyDefinition>
      <documents>
```

FIG. 10C

```

<document key="286">
  <links>
    <link href="REQ=GET_CONTENT&REQ_TYPE=VER&DOC_ID_0=286" linkType="retrieve"/>
    <link href="REQ=GET_PROP&REQ_TYPE=DOC&DOC_ID_0=286" linkType="property"/>
    <link href="REQ=GET_REL&DOC_ID_0=286" linkType="relationship"/>
    <link href="REQ=GET_PROP&REQ_TYPE=LOCK&DOC_ID_0=286" linkType="lock"/>
    <link href="REQ=DELETE&REQ_TYPE=DOC&DOC_ID_0=286" linkType="delete"/>
    <link href="REQ=UPDATE&REQ_TYPE=CHECK_IN&DOC_ID_0=286" linkType="checkIn"/>
    <link href="REQ=UPDATE&REQ_TYPE=CHECK_OUT&DOC_ID_0=286" linkType="checkOut"/>
  </links>
  <properties>
    <property object="document" propertyId="1" key="DOCUMENT_1">286</property>
    <property object="document" propertyId="2" key="DOCUMENT_2">YOSHIYUKI ITO</property>
    <property object="document" propertyId="6" key="DOCUMENT_6">63</property>
  </properties>
</document>
<document key="287">
  <links>
    <link href="REQ=GET_CONTENT&REQ_TYPE=VER&DOC_ID_0=287" linkType="retrieve"/>
    <link href="REQ=GET_PROP&REQ_TYPE=DOC&DOC_ID_0=287" linkType="property"/>
    <link href="REQ=GET_REL&DOC_ID_0=287" linkType="relationship"/>
    <link href="REQ=GET_PROP&REQ_TYPE=LOCK&DOC_ID_0=287" linkType="lock"/>
    <link href="REQ=DELETE&REQ_TYPE=DOC&DOC_ID_0=287" linkType="delete"/>
    <link href="REQ=UPDATE&REQ_TYPE=CHECK_IN&DOC_ID_0=287" linkType="checkIn"/>
    <link href="REQ=UPDATE&REQ_TYPE=CHECK_OUT&DOC_ID_0=287" linkType="checkOut"/>
  </links>
  <properties>
    <property object="document" propertyId="1" key="DOCUMENT_1">287</property>

```

FIG. 11

```

    <property object="document" propertyId="2" key="DOCUMENT_2">YOSHIYUKI ITO</property>
    <property object="document" propertyId="6" key="DOCUMENT_6">63</property>
  </properties>
</document>
AT1 </documents>
    <containers>
      <container key="22" browseKey="22" active="true" opened="true" containerType="My">
        <links>
          <link href="REQ=BROWSE&MY_CONT_ID=22" linkType="browse"/>
          <link href="REQ=GET_PROP&REQ_TYPE=CONT&CONT_ID_0=22" linkType="property"/>
          <link href="REQ=DELETE&REQ_TYPE=CONT&CONT_ID_0=22" linkType="delete"/>
        </links>
        <properties>
          <property object="container" propertyId="1" key="CONTAINER_1">MY CONTAINER</property>
          <property object="container" propertyId="6" key="CONTAINER_6">22</property>
        </properties>
        <containers>
          <container key="25" browseKey="22-25" active="false" opened="false" containerType="My">
            <links>
              <link href="REQ=BROWSE&MY_CONT_ID=22-25" linkType="browse"/>
              <link href="REQ=GET_PROP&REQ_TYPE=CONT&CONT_ID_0=25" linkType="property"/>
              <link href="REQ=DELETE&REQ_TYPE=CONT&CONT_ID_0=25" linkType="delete"/>
            </links>
            <properties>
              <property object="container" propertyId="1" key="CONTAINER_1">CONTAINER A</property>
              <property object="container" propertyId="6" key="CONTAINER_6">25</property>
            </properties>
            <containers/>
          </container>
          <container key="30" browseKey="22-30" active="false" opened="false" containerType="My">
            <links>
              <link href="REQ=BROWSE&MY_CONT_ID=22-30" linkType="browse"/>
              <link href="REQ=GET_PROP&REQ_TYPE=CONT&CONT_ID_0=30" linkType="property"/>
              <link href="REQ=DELETE&REQ_TYPE=CONT&CONT_ID_0=30" linkType="delete"/>
            </links>
            <properties>
              <property object="container" propertyId="1" key="CONTAINER_1">CONTAINER B</property>
              <property object="container" propertyId="6" key="CONTAINER_6">30</property>
            </properties>
            <containers/>
          </container>
        </containers>
        <refDocuments>
          <refDocument key="286"/>
          <refDocument key="287"/>
        </refDocuments>
      </container>
    </containers>
  </meridio>
  
```

BR-A2
 BR-A1
 BR-A2
 BR-A2
 BR-C01
 BR-C02

(a) DOCUMENT		DOCUMENT ID	NAME	WRITER	WRITTEN DAY AND TIME	DOCUMENT SIZE
GR-A4	19	RUBY.doc	HIROBUMI JINNAI	2' 40'' 08''' p.m.	DECEMBER 21, 1999	300024
	22	asahi.htm	YOSHIYUKI ITO	8' 26'' 33''' p.m.	JANUARY 14, 2000	637
	24	FUC.htm	HIROBUMI JINNAI	8' 27'' 49''' p.m.	JANUARY 14, 2000	580
GR-A3	100	exe1500k.xls	HIROBUMI JINNAI	6' 51'' 20''' a.m.	JANUARY 16, 2000	2347
	286	DOCUMENT A	YOSHIYUKI ITO	2' 51'' 00''' p.m.	JANUARY 17, 2000	63
	287	DOCUMENT B	YOSHIYUKI ITO	2' 54'' 13''' p.m.	JANUARY 17, 2000	63

(b) CONTAINER		BR-A2
CONTAINER ID	NAME	
22	MY CONTAINER	
25	CONTAINER A	
30	CONTAINER B	

(c) REFERENCE 1 (INDICATING CORRELATION BETWEEN A CONTAINER AND A DOCUMENT)

CONTAINER ID	DOCUMENTATION ID	
22	286	BR-CO (CORRELATION)
22	287	BR-CO (CORRELATION)

(d) REFERENCE 2 (INDICATING CORRELATION BETWEEN CONTAINERS)

PARENT CONTAINER ID	CHILD CONTAINER ID	
22	25	BR-CO (CORRELATION)
22	30	BR-CO (CORRELATION)

(e) RELATIONSHIP (INDICATING CORRELATION BETWEEN DOCUMENTS)

PARENT DOCUMENT ID	CHILD DOCUMENT ID	COMMENT	STRENGTH	INCLUSION
100	19	COMMENTS PROVIDED	0	0
100	22	COMMENTS PROVIDED	0	0
100	24	COMMENTS PROVIDED	0	0

(f) PROPERTYDEF

OBJECT ID	NAME	TYPE	READ FLAG	NECESSITY	MAXIMUM VALUE	MINIMUM VALUE
DOCUMENT	1 DOCUMENT ID	0	1	1	32	
DOCUMENT	2 WRITER	1	1	1		
DOCUMENT	3 WRITTEN DAY AND TIME	2	1	1		
DOCUMENT	5 NAME	1	0	1	255	
DOCUMENT	6 ONLINE VERSION SIZE	1	1	1		
CONTAINER	1 NAME	0	0	1	255	
CONTAINER	6 CONTAINER ID	1	1	1		
RELATIONSHIP	1 EXPLANATION	1	1	0	255	
RELATIONSHIP	2 STRENGTH	0	1	1		
RELATIONSHIP	3 (NOT SUPPORTED)	0	1	1		

GP-B1

FIG. 12

FIG. 13A

REQUEST
REQ=GET_REL
TYPE=DESTINATION
DOC_ID=100

ACTUALLY GENERATED XML IS AS FOLLOWS.
IT IS SET HERE THAT DOCUMENT PROPERTIES DOCUMENT_1 AND DOCUMENT_5 ARE REQUIRED.

```

<?xml version="1.0" standalone="no"?>
<meridio version="1.1">
  <activeContainer key="" browseKey="" containerType="">
    <links>
      <link href="REQ=BROWSE" linkType="browse"/>
      <link href="REQ=GET_PROP&REQ_TYPE=CONT&CONT_ID_0=" linkType="property"/>
      <link href="REQ=DELETE&REQ_TYPE=CONT&CONT_ID_0=" linkType="delete"/>
    </links>
  </activeContainer>
  <results result="success" expire="false">
    <success>
      <refDocuments>
        <refDocument key=""00"/>
      </refDocuments>
    </success>
  </results>
</links>
<link href="REQ=EXEC_SCH" linkType="search"/>
<link href="REQ=BROWSE" linkType="browse"/>
<link href="REQ=GET_CONFIG&REQ_TYPE=BROWSE" linkType="customiseBrowse"/>
<link href="REQ=GET_CONFIG&REQ_TYPE=SCH" linkType="customiseSearch"/>
<link href="REQ=GET_CONFIG&REQ_TYPE=SCH_RESULT" linkType="customiseSearchResult"/>
<link href="REQ=GET_SSCH" linkType="storedSearch"/>
<link href="REQ=GET_PROP&REQ_TYPE=USER" linkType="property"/>
<link href="REQ=GET_PROP&REQ_TYPE=SYSTEM" linkType="system"/>
<link href="REQ=GET_USERGROUP" linkType="userGroupList"/>
<link href="REQ=REFRESH=true" linkType="refresh"/>
<link href="REQ=LOGOUT" linkType="logout"/>

```

AT1

AT2



FIG. 13B

```

AT1 [ </links>
      <propertyDefinition>
        <fixedPropertyDefinition>
          <propertyDef object="document">
            <propertyDef key=DOCUMENT_1 readOnly="true" required="true" object="document" propertyId="1" selected="browse|sch
            <displayName>DOCUMENT ID</displayName>
          </propertyDef>
          <propertyDef key=DOCUMENT_5 readOnly="false" required="true" object="document" propertyId="5" selected="sch" type
            <displayName>DESCRIPTION</displayName>
          </propertyDef>
        </propertyDefs>
      </fixedPropertyDefinition>
    </propertyDefinition>
  </links>
  +
  GR-BR
  BT1 [ <propertyDef object="relationship">
        <propertyDef key="RELATIONSHIP_1" readOnly="true" required="false" object="relationship" propertyId="1" selected=""
        <displayName>EXPLANATION</displayName>
      </propertyDef>
      <propertyDef key="RELATIONSHIP_2" readOnly="true" required="true" object="relationship" propertyId="2" selected=""
        <displayName>STRENGTH</displayName>
      </propertyDef>
      <propertyDef key="RELATIONSHIP_3" readOnly="true" required="true" object="relationship" propertyId="3" selected=""
        <displayName>(NOT SUPPORTED)</displayName>
      </propertyDef>
    </propertyDefs>
  </fixedPropertyDefinition>
  </propertyDefinition>
  </documents>
  ]
  
```

FIG. 13C

```

<document key="19">
  <links>
    <link href="REQ=GET_CONTENT&REQ_TYPE=VER&DOC_ID_0=19" linkType="retrieve"/>
    <link href="REQ=GET_PROP&REQ_TYPE=DOC&DOC_ID_0=19" linkType="property"/>
    <link href="REQ=GET_REL&DOC_ID_0=19" linkType="relationship"/>
    <link href="REQ=GET_PROP&REQ_TYPE=LOCK&DOC_ID_0=19" linkType="lock"/>
    <link href="REQ=DELETE&REQ_TYPE=DOC&DOC_ID_0=19" linkType="delete"/>
    <link href="REQ=UPDATE&REQ_TYPE=CHECK_IN&DOC_ID_0=19" linkType="checkIn"/>
    <link href="REQ=UPDATE&REQ_TYPE=CHECK_OUT&DOC_ID_0=19" linkType="checkOut"/>
  </links>
  <properties>
    <property object="document" propertyId="1" key="DOCUMENT_1">19</property>
    <property object="document" propertyId="5" key="DOCUMENT_5">RUBY.doc</property>
  </properties>
</document>
<document key="22">
  <links>
    <link href="REQ=GET_CONTENT&REQ_TYPE=VER&DOC_ID_0=22" linkType="retrieve"/>
    <link href="REQ=GET_PROP&REQ_TYPE=DOC&DOC_ID_0=22" linkType="property"/>
    <link href="REQ=GET_REL&DOC_ID_0=22" linkType="relationship"/>
    <link href="REQ=GET_PROP&REQ_TYPE=LOCK&DOC_ID_0=22" linkType="lock"/>
    <link href="REQ=DELETE&REQ_TYPE=DOC&DOC_ID_0=22" linkType="delete"/>
    <link href="REQ=UPDATE&REQ_TYPE=CHECK_IN&DOC_ID_0=22" linkType="checkIn"/>
    <link href="REQ=UPDATE&REQ_TYPE=CHECK_OUT&DOC_ID_0=22" linkType="checkOut"/>
  </links>
  <properties>
    <property object="document" propertyId="1" key="DOCUMENT_1">22</property>
    <property object="document" propertyId="5" key="DOCUMENT_5">ssahi.htm</property>
  </properties>

```

AT2

GR-A4

GR-A4

FIG. 14A

```

</properties>
</document>
<document key="24">
  <links>
    <link href="REQ=GET_CONTENT&REQ_TYPE=VER&DOC_ID_0=24" linkType="retrieve"/>
    <link href="REQ=GET_PROP&REQ_TYPE=DOC&DOC_ID_0=24" linkType="property"/>
    <link href="REQ=GET_REL&DOC_ID_0=24" linkType="relationship"/>
    <link href="REQ=GET_PROP&REQ_TYPE=LOCK&DOC_ID_0=24" linkType="lock"/>
    <link href="REQ=DELETE&REQ_TYPE=DOC&DOC_ID_0=24" linkType="delete"/>
    <link href="REQ=UPDATE&REQ_TYPE=CHECK_IN&DOC_ID_0=24" linkType="checkIn"/>
    <link href="REQ=UPDATE&REQ_TYPE=CHECK_OUT&DOC_ID_0=24" linkType="checkOut"/>
  </links>
  <properties>
    <property object="document" propertyId="1" key="DOCUMENT_1">24</property>
    <property object="document" propertyId="5" key="DOCUMENT_5">EUC.htm</property>
  </properties><customProperties/>
</document>
<document key="100">
  <links>
    <link href="REQ=GET_CONTENT&REQ_TYPE=VER&DOC_ID_0=100" linkType="retrieve"/>
    <link href="REQ=GET_PROP&REQ_TYPE=DOC&DOC_ID_0=100" linkType="property"/>
    <link href="REQ=GET_REL&DOC_ID_0=100" linkType="relationship"/>
    <link href="REQ=GET_PROP&REQ_TYPE=LOCK&DOC_ID_0=100" linkType="lock"/>
    <link href="REQ=DELETE&REQ_TYPE=DOC&DOC_ID_0=100" linkType="delete"/>
    <link href="REQ=UPDATE&REQ_TYPE=CHECK_IN&DOC_ID_0=100" linkType="checkIn"/>
    <link href="REQ=UPDATE&REQ_TYPE=CHECK_OUT&DOC_ID_0=100" linkType="checkOut"/>
  </links>
  <properties>
    <property object="document" propertyId="1" key="DOCUMENT_1">100</property>
    <property object="document" propertyId="5" key="DOCUMENT_5">excel500k.xml</property>
  </properties>

```



FIG. 14B

```
CT1C<destinationDocuments>
<destinationDocument>
<refDocument key="19"/>
<relationship destinationKey="19">
</links>
<link href="REQ=DELETE&DOC_ID_0=100&DESTINATION_DOC_ID=19" linkType="delete"/>
</links>
<properties>
<property object="relationship" propertyId="1" key="RELATIONSHIP-1">COMMENTS PROVIDED</property>
<property object="relationship" propertyId="2" key="RELATIONSHIP-2">0</property>
<property object="relationship" propertyId="3" key="RELATIONSHIP-3">0</property>
</properties>
</relationship>
</destinationDocument>
<destinationDocument>
<refDocument key="22"/>
<relationship destinationKey="22">
</links>
<link href="REQ=DELETE&DOC_ID_0=100&DESTINATION_DOC_ID=22" linkType="delete"/>
</links>
<properties>
```

6R-C11



FIG. 14C

```
GR-C11
<property object="relationship" propertyId="1" key="RELATIONSHIP_1">COMMENTS PROVIDED</property>
<property object="relationship" propertyId="2" key="RELATIONSHIP_2">0</property>
<property object="relationship" propertyId="3" key="RELATIONSHIP_3">0</property>
</properties>
</relationship>
</destinationDocument>
</destinationDocument>
<refDocument key="24"/>
<relationship destinationKey="24">
</links>
<link href="REQ=DELETE&REQ_TYPE=REL&DOC_ID_0=100&DESTINATION_DOC_ID=24" linkType="delete"/>
</links>
</properties>
<property object="relationship" propertyId="1" key="RELATIONSHIP_1">COMMENTS PROVIDED</property>
<property object="relationship" propertyId="2" key="RELATIONSHIP_2">0</property>
<property object="relationship" propertyId="3" key="RELATIONSHIP_3">0</property>
</properties>
</relationship>
</destinationDocument>
CT1[</destinationDocuments>
AT2[</document>
AT1[</documents>
AT1[</meridio
```



(a) DOCUMENT

DOCUMENT ID	NAME	WRITER	WRITTEN DAY AND TIME	DOCUMENT SIZE
GR-A4	19 RUBY.doc	HIROBUMI JINNAI	2' 40' '08' p.m. DECEMBER 21, 1999	300024
	22 asahi.htm	YOSHIYUKI ITO	8' 26' '33' p.m. JANUARY 14, 2000	637
	24 EUC.htm	HIROBUMI JINNAI	8' 27' '49' p.m. JANUARY 14, 2000	580
GR-A3	100 exe1500k.xls	HIROBUMI JINNAI	6' 51' '20' a.m. JANUARY 16, 2000	2347
	286 DOCUMENT A	YOSHIYUKI ITO	2' 51' '00' p.m. JANUARY 17, 2000	63
	287 DOCUMENT B	YOSHIYUKI ITO	2' 54' '13' p.m. JANUARY 17, 2000	63

(b) CONTAINER

CONTAINER ID	NAME
22	MY CONTAINER
25	CONTAINER A
30	CONTAINER B

(c) REFERENCE 1 (INDICATING CORRELATION BETWEEN A CONTAINER AND A DOCUMENT)

CONTAINER ID	DOCUMENTATION ID
22	286
22	287

(d) REFERENCE 2 (INDICATING CORRELATION BETWEEN CONTAINERS)

PARENT CONTAINER ID	CHILD CONTAINER ID
22	25
22	30

(e) RELATIONSHIP (INDICATING CORRELATION BETWEEN DOCUMENTS)

PARENT DOCUMENT ID	CHILD DOCUMENT ID	COMMENT	STRENGTH	INCLUSION
100	19	COMMENTS PROVIDED	0	0
100	22	COMMENTS PROVIDED	0	0
100	24	COMMENTS PROVIDED	0	0

GR-C1
(CORRELATION)

(f) PROPERTYDEF

OBJECT ID	NAME	TYPE	READ FLAG	NECESSITY	MAXIMUM VALUE	MINIMUM VALUE
DOCUMENT	1 DOCUMENT ID	0	1	1	32	
DOCUMENT	2 WRITER	1	1	1		
DOCUMENT	3 WRITTEN DAY AND TIME	2	1	1		
DOCUMENT	5 NAME	1	0	1	255	
DOCUMENT	6 ONLINE VERSION SIZE	1	1	1		
CONTAINER	1 NAME	0	0	1		
CONTAINER	6 CONTAINER ID	1	1	1	255	
RELATIONSHIP	1 EXPLANATION	1	1	0		
RELATIONSHIP	2 STRENGTH	0	1	1		
RELATIONSHIP	3 (NOT SUPPORTED)	0	1	1		

GP-B2

FIG. 15